

JAZZ®

JAZZ 2.3mm x 0.70mm

Ideal for use in commercial box making where low cost quality creasing is required, JAZZ matrix is a precision engineered plastic creasing matrix with integral locator.

Use of a micro thin polyester film base eliminates the need for creasing rule height adjustments, whilst tapered edges of the matrix profile eliminates the need for dressing down during press make ready.

Available in over 70 sizes covering standard and off centre formats, each size is colour coded and labelled for easy reference and to minimise the risk of mixing sizes during make ready.

JAZZ®

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Jazz Creasing Matrix					
Platinum		50 to 100	2 to 4	50 to 100	505 - 040
Alpine		50 to 100	2 to 4	50 to 100	508 - 030
Orange		50 to 150	2 to 6	50 to 150	508 - 040
Royal Blue		80 to 150	3 to 6	60 to 160	508 - 045
Bluberry		80 to 150	3 to 6	60 to 160	510 - 030
Beige		100 to 200	4 to 8	100 to 175	510 - 040
Peach		170 to 220	7 to 9	165 to 190	510 - 050
Light Pink		190 to 230	7 to 9	170 to 195	512 - 030
Lilac		150 to 240	6 to 9	150 to 200	512 - 040
Ivory		225 to 310	9 to 12	185 to 225	512 - 045
Olive		285 to 330	11 to 13	210 to 240	512 - 050
Pale Blue		320 to 400	13 to 16	225 to 275	513 - 040
White		340 to 410	13 to 16	240 to 270	513 - 045
Bright Green		340 to 420	13 to 17	240 to 290	513 - 050
Black		340 to 450	13 to 18	240 to 300	513 - 055
Titanium		350 to 420	14 to 17	240 to 290	514 - 030
Ocean		350 to 420	14 to 17	240 to 290	514 - 040
Toffee		350 to 420	14 to 17	240 to 290	514 - 045
Terracotta		350 to 420	14 to 17	240 to 290	514 - 050
Lagoon		350 to 420	14 to 17	240 to 290	514 - 055
Light Orange		355 to 430	14 to 17	250 to 300	515 - 030
Flame		370 to 440	14 to 17	250 to 300	515 - 040
Apple Green		375 to 450	15 to 18	260 to 300	515 - 045
Yellow		440 to 500	17 to 20	290 to 335	515 - 050
Fuchsia		450 to 510	18 to 20	300 to 335	515 - 055
Navy Blue		460 to 520	18 to 20	300 to 335	515 - 060

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Jazz Creasing Matrix - Continued					
Rosewood		480 to 550	19 to 22	350 to 365	515 - 070
Holly		490 to 520	19 to 20	360 to 370	516 - 040
Cornflower		490 to 520	19 to 20	360 to 370	516 - 050
Spearmint		490 to 530	19 to 21	360 to 370	516 - 060
Vanilla		490 to 530	19 to 21	360 to 370	517 - 040
Avocado		500 to 540	20 to 21	350 to 375	517 - 050
Powder Blue		500 to 550	20 to 22	350 to 375	517 - 055
Purple		525 to 600	21 to 24	350 to 400	517 - 060
Mustard		530 to 580	21 to 23	350 to 400	519 - 040
Ice Blue		540 to 590	21 to 23	350 to 400	519 - 050
Green		540 to 600	21 to 24	350 to 400	519 - 060
Coffee		550 to 600	22 to 24	360 to 400	519 - 070
Ash Grey		560 to 620	22 to 24	365 to 400	519 - 080
Ebony		570 to 630	22 to 25	375 to 410	521 - 050
Burgundy		580 to 650	23 to 26	385 to 435	521 - 065
Pink		620 to 700	24 to 28	400 to 465	521 - 080
Tangerine		630 to 700	25 to 27	400 to 465	523 - 060
Red		640 to 700	25 to 28	420 to 465	523 - 070
Lemon		680 to 760	27 to 30	450 to 500	523 - 080
Racing Green		700 to 780	28 to 31	460 to 500	525 - 060
Racing Green 3/4		700 to 780	28 to 31	460 to 500	525 - 060 3/4
Dusk		700 to 800	28 to 31	460 to 500	525 - 070
Dusk 3/4		700 to 800	28 to 31	460 to 500	525 - 070 3/4
Manilla		700 to 800	28 to 31	460 to 500	525 - 080
Manilla 3/4		700 to 800	28 to 31	460 to 500	525 - 080 3/4
Sand		700 to 800	28 to 31	460 to 500	527 - 060

Ideal for use in commercial box making where low cost quality creasing is required, JAZZ matrix is a precision engineered plastic creasing matrix with integral locator. Use of a micro thin polyester film base eliminates the need for creasing rule height adjustments, whilst tapered edges of the matrix profile eliminates the need for dressing down during press make ready. Available in over 70 sizes covering standard and off centre formats, each size is colour coded and labelled for easy reference and to minimise the risk of mixing sizes during make ready.

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Jazz Creasing Matrix - Continued					
Sand 3/4		700 to 800	28 to 31	460 to 500	527 - 060 3/4
Blue		700 to 800	28 to 31	460 to 500	527 - 080
Blue 3/4		700 to 800	28 to 31	460 to 500	527 - 080 3/4
Polar White		710 to 820	28 to 32	475 to 550	527 - 100
Polar White 3/4		710 to 820	28 to 32	475 to 550	527 - 100 3/4
Honeysuckle		750 to 850	30 to 33	485 to 565	530 - 060
Honeysuckle 3/4		750 to 850	30 to 33	485 to 565	530 - 060 3/4
Nasturtium		780 to 880	31 to 35	490 to 575	530 - 080
Nasturtium 3/4		780 to 880	31 to 35	490 to 575	530 - 080 3/4
Brown		800 to 1000	31 to 39	535 to 665	530 - 100
Brown 3/4		800 to 1000	31 to 39	535 to 665	530 - 100 3/4
Canary		820 to 1050	32 to 41	550 to 675	532 - 060
Canary 3/4		820 to 1050	32 to 41	550 to 675	532 - 060 3/4
Leaf		835 to 1175	33 to 46	560 to 685	532 - 080
Leaf 3/4		835 to 1175	33 to 46	560 to 685	532 - 080 3/4
Topaz		850 to 1250	33 to 49	570 to 695	535 - 060
Topaz 3/4		850 to 1250	33 to 49	570 to 695	535 - 060 3/4
Marine Blue		875 to 1300	34 to 51	580 to 700	535 - 080
Marine Blue 3/4		875 to 1300	34 to 51	580 to 700	535 - 080 3/4
Cornelian 3/4		910 to 1310	36 to 52	620 to 735	540 - 080 3/4
Cornelian 4/6		910 to 1310	36 to 52	620 to 735	540 - 080 4/6
Cyclamen 3/4		930 to 1320	37 to 52	630 to 740	540 - 090 3/4
Cyclamen 4/6		930 to 1320	37 to 52	630 to 740	540 - 090 4/6
Carnival Red 3/4		940 to 1340	37 to 53	650 to 790	540 - 100 3/4
Carnival Red 4/6		940 to 1340	37 to 53	650 to 790	540 - 100 4/6
Sunflower 3/4		1050 to 1400	41 to 55	700 to 850	550 - 100 3/4

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Jazz Creasing Matrix					
Sunflower 4/6		1050 to 1400	41 to 55	700 to 850	550 - 100 4/6
Cobalt Blue 3/4		1400 to 1620	55 to 64	910 to 990	560 - 100 3/4
Cobalt Blue 4/6		1400 to 1620	55 to 64	910 to 990	560 - 100 4/6
Jazz Off Centre Creasing Matrix					
Orange		60 to 100	2 to 4	50 to 150	538 - 040
Beige		100 to 200	4 to 8	100 to 175	531 - 040
Peach		170 to 220	7 to 9	165 to 190	531 - 051
White		340 to 410	13 to 16	240 to 270	531 - 045
Bright Green		350 to 420	14 to 17	250 to 290	538 - 050
Terracotta		375 to 450	15 to 18	260 to 280	534 - 050
Apple Green		400 to 480	16 to 19	270 to 300	538 - 045
Yellow		440 to 500	17 to 20	290 to 335	531 - 050
Navy Blue		450 to 520	18 to 20	300 to 350	531 - 060
Avocado		500 to 540	20 to 21	350 to 375	537 - 050
Powder Blue		500 to 550	20 to 22	350 to 375	537 - 055
Purple		525 to 600	21 to 24	350 to 400	537 - 060
Ice Blue		540 to 590	21 to 23	350 to 400	539 - 050
Green		540 to 600	21 to 24	350 to 400	539 - 060
Jazz Double Crease Creasing Matrix Ejector Rubbers & Other Products Also Available					



Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Standard Creasing Matrix					
Platinum		50 to 100	2 to 4	50 to 100	705 - 040
Alpine		50 to 100	2 to 4	50 to 100	708 - 030
Orange		50 to 150	2 to 6	50 to 150	708 - 040
Royal Blue		80 to 150	3 to 6	60 to 160	708 - 045
Blueberry		80 to 150	3 to 6	60 to 160	710 - 030
Beige		100 to 200	4 to 8	100 to 175	710 - 040
Peach		170 to 220	7 to 9	165 to 190	710 - 050
Light Pink		190 to 230	7 to 9	170 to 195	712 - 030
Lilac		150 to 240	6 to 9	150 to 200	712 - 040
Ivory		225 to 310	9 to 12	185 to 225	712 - 045
Olive		285 to 330	11 to 13	210 to 240	712 - 050
Pale Blue		320 to 400	13 to 16	225 to 275	713 - 040
White		340 to 410	13 to 16	240 to 270	713 - 045
Bright Green		340 to 420	13 to 17	240 to 290	713 - 050
Black		340 to 450	13 to 18	240 to 300	713 - 055
Titanium		350 to 420	14 to 17	240 to 290	714 - 030
Ocean		350 to 420	14 to 17	240 to 290	714 - 040
Toffee		350 to 420	14 to 17	240 to 290	714 - 045
Terracotta		350 to 420	14 to 17	240 to 290	714 - 050
Lagoon		350 to 420	14 to 17	240 to 290	714 - 055
Light Orange		355 to 430	14 to 17	250 to 300	715 - 030
Flame		370 to 440	14 to 17	250 to 300	715 - 040
Apple Green		375 to 450	15 to 18	260 to 300	715 - 045
Yellow		440 to 500	17 to 20	290 to 335	715 - 050
Fuchsia		450 to 510	18 to 20	300 to 335	715 - 055
Navy Blue		460 to 520	18 to 20	300 to 335	715 - 060
Rosewood		480 to 550	19 to 22	350 to 365	715 - 070

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Standard Creasing Matrix - Continued					
Holly		490 to 520	19 to 20	360 to 370	716 - 040
Cornflower		490 to 520	19 to 20	360 to 370	716 - 050
Spearmint		490 to 530	19 to 21	360 to 370	716 - 060
Vanilla		490 to 530	19 to 21	360 to 370	717 - 040
Avocado		500 to 540	20 to 21	350 to 375	717 - 050
Powder Blue		500 to 550	20 to 22	350 to 375	717 - 055
Purple		525 to 600	21 to 24	350 to 400	717 - 060
Mustard		530 to 580	21 to 23	350 to 400	719 - 040
Ice Blue		540 to 590	21 to 23	350 to 400	719 - 050
Green		540 to 600	21 to 24	350 to 400	719 - 060
Coffee		550 to 600	22 to 24	360 to 400	719 - 070
Ash Grey		560 to 620	22 to 24	365 to 400	719 - 080
Ebony		570 to 630	22 to 25	375 to 410	721 - 050
Burgundy		580 to 650	23 to 26	385 to 435	721 - 065
Pink		620 to 700	24 to 28	400 to 465	721 - 080
Tangerine		630 to 700	25 to 27	400 to 465	723 - 060
Red		640 to 700	25 to 28	420 to 465	723 - 070
Lemon		680 to 760	27 to 30	450 to 500	723 - 080
Racing Green		700 to 780	28 to 31	460 to 500	725 - 060
Racing Green 3/4		700 to 780	28 to 31	460 to 500	725 - 060 3/4
Dusk		700 to 800	28 to 31	460 to 500	725 - 070
Dusk 3/4		700 to 800	28 to 31	460 to 500	725 - 070 3/4
Manilla		700 to 800	28 to 31	460 to 500	725 - 080
Manilla 3/4		700 to 800	28 to 31	460 to 500	725 - 080 3/4
Sand		700 to 800	28 to 31	460 to 500	727 - 060
Sand 3/4		700 to 800	28 to 31	460 to 500	727 - 060 3/4
Blue		700 to 800	28 to 31	460 to 500	727 - 080

Ideal for use in commercial box making where low cost quality creasing is required, Kiss Crease matrix is a precision engineered plastic creasing matrix with integral locator. Use of a micro thin polyester film base eliminates the need for creasing rule height adjustments, whilst tapered edges of the matrix profile eliminates the need for dressing down during press make ready. Available in over 70 sizes covering standard, double crease and off centre formats, each size is colour coded and labelled for easy reference and to minimise the risk of mixing sizes during make ready.

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Standard Creasing Matrix - Continued					
Blue 3/4		700 to 800	28 to 31	460 to 500	727 - 080 3/4
Polar White		710 to 820	28 to 32	475 to 550	727 - 100
Polar White 3/4		710 to 820	28 to 32	475 to 550	727 - 100 3/4
Honeysuckle		750 to 850	30 to 33	485 to 565	730 - 060
Honeysuckle 3/4		750 to 850	30 to 33	485 to 565	730 - 060 3/4
Nasturtium		780 to 880	31 to 35	490 to 575	730 - 080
Nasturtium 3/4		780 to 880	31 to 35	490 to 575	730 - 080 3/4
Brown		800 to 1000	31 to 39	535 to 665	730 - 100
Brown 3/4		800 to 1000	31 to 39	535 to 665	730 - 100 3/4
Canary		820 to 1050	32 to 41	550 to 675	732 - 060
Canary 3/4		820 to 1050	32 to 41	550 to 675	732 - 060 3/4
Leaf		835 to 1175	33 to 46	560 to 685	732 - 080
Leaf 3/4		835 to 1175	33 to 46	560 to 685	732 - 080 3/4
Topaz		850 to 1250	33 to 49	570 to 695	735 - 060
Topaz 3/4		850 to 1250	33 to 49	570 to 695	735 - 060 3/4
Marine Blue		875 to 1300	34 to 51	580 to 700	735 - 080
Marine Blue 3/4		875 to 1300	34 to 51	580 to 700	735 - 080 3/4
Midnight Blue 3/4		900 to 1350	35 to 49	600 to 700	735 - 110 3/4
Cornelian 3/4		910 to 1310	36 to 52	620 to 735	740 - 080 3/4
Cornelian 4/6		910 to 1310	36 to 52	620 to 735	740 - 080 4/6
Cyclamen 3/4		930 to 1320	37 to 52	630 to 740	740 - 090 3/4
Cyclamen 4/6		930 to 1320	37 to 52	630 to 740	740 - 090 4/6
Carnival Red 3/4		940 to 1340	37 to 53	650 to 790	740 - 100 3/4
Carnival Red 4/6		940 to 1340	37 to 53	650 to 790	740 - 100 4/6
Grey 3/4		1000 to 1350	39 to 53	665 to 800	740 - 120 3/4
Sunflower 3/4		1050 to 1400	41 to 55	700 to 850	750 - 100 3/4
Sunflower 4/6		1050 to 1400	41 to 55	700 to 850	750 - 100 4/6

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Standard Creasing Matrix					
Black 3/4		1300 to 1500	51 to 59	800 to 900	750 - 150 3/4
Cobalt Blue 3/4		1400 to 1620	55 to 64	910 to 990	760 - 100 3/4
Cobalt Blue 4/6		1400 to 1620	55 to 64	910 to 990	760 - 100 4/6
Cream 3/4		1500 to 1700	59 to 67	900 to 1000	760 - 170 3/4
Cream 4/6		1500 to 1700	59 to 67	900 to 1000	760 - 170 4/6
Off Centre Creasing Matrix					
Orange		60 to 100	2 to 4	50 to 150	738 - 040
Beige		100 to 200	4 to 8	100 to 175	731 - 040
Peach		170 to 220	7 to 9	165 to 190	731 - 051
White		340 to 410	13 to 16	240 to 270	731 - 045
Bright Green		350 to 420	14 to 17	250 to 290	738 - 050
Terracotta		375 to 450	15 to 18	260 to 280	734 - 050
Apple Green		400 to 480	16 to 19	270 to 300	738 - 045
Yellow		440 to 500	17 to 20	290 to 335	731 - 050
Navy Blue		450 to 520	18 to 20	300 to 350	731 - 060
Avocado		500 to 540	20 to 21	350 to 375	737 - 050
Powder Blue		500 to 550	20 to 22	350 to 375	737 - 055
Purple		525 to 600	21 to 24	350 to 400	737 - 060
Ice Blue		540 to 590	21 to 23	350 to 400	739 - 050
Green		540 to 600	21 to 24	350 to 400	739 - 060
Double Crease Creasing Matrix, Ejector Rubbers & Other Products Also Available					




Specifically designed to meet the needs of commercial print finishers, X-press creasing matrix is a precision engineered plastic counter creasing matrix with integral locator and steel film base.

Available in a comprehensive range of sizes in standard, off-centre and reverse bend configurations, all sizes are individually colour coded and labelled for easy reference and to minimise the possibility of mixing sizes during make ready.


Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Standard Creasing Matrix					
Platinum		50 to 100	2 to 4	50 to 100	050 - 040
Orange		50 to 150	2 to 6	50 to 150	080 - 040
Beige		100 to 200	4 to 8	100 to 175	100 - 040
Pale Blue		300 to 400	12 to 16	225 to 275	130 - 040
White		325 to 400	13 to 16	240 to 270	130 - 045
Black		325 to 450	13 to 18	240 to 300	130 - 055
Apple Green		375 to 450	15 to 18	260 to 300	150 - 045
Yellow		425 to 500	17 to 20	290 to 335	150 - 050
Rosewood		475 to 550	19 to 22	350 to 365	150 - 070
Powder Blue		500 to 550	20 to 22	335 to 365	170 - 055
Purple		525 to 600	20 to 24	350 to 400	170 - 060
Green		525 to 600	20 to 24	350 to 400	190 - 060
Ash Grey		550 to 600	22 to 24	365 to 400	190 - 080
Burgundy		575 to 650	23 to 26	385 to 435	210 - 065
Pink		600 to 700	24 to 28	400 to 465	210 - 080
Red		625 to 700	25 to 28	420 to 465	230 - 070
Blue		700 to 800	28 to 32	465 to 535	270 - 080
Brown 3/4		800 to 1000	32 to 40	535 to 665	300 - 100 3/4
Yellow 3/4		800 to 1000	32 to 40	535 to 665	300 - 130 3/4
Grey 3/4		1000 to 1300	40 to 51	665 to 800	400 - 120 3/4
Grey 6		1000 to 1300	40 to 51	665 to 800	400 - 120 6
Green 3/4		1000 to 1300	40 to 51	665 to 800	400 - 160 3/4

Colour	Profile mm / 0.001"	Board Thickness		Board Wt GSM (gms/m ²)	Order Ref
		microns	thou 0.001"		
Standard Creasing Matrix - Continued					
Green 6		1000 to 1300	40 to 51	665 to 800	400 - 160 6
Black 4		1300 to 1500	51 to 60	800 to 900	500 - 150 4
Black 6		1300 to 1500	51 to 60	800 to 900	500 - 150 6
Red 4		1300 to 1500	51 to 60	800 to 900	500 - 200 4
Red 6		1300 to 1500	51 to 60	800 to 900	500 - 200 6
Cream 4		1500 to 1700	60 to 67	900 to 1000	600 - 170 4
Cream 6		1500 to 1700	60 to 67	900 to 1000	600 - 170 6
Blue 4		1500 to 1700	60 to 67	900 to 1000	600 - 250 4
Blue 6		1500 to 1700	60 to 67	900 to 1000	600 - 250 6
Off Centre Creasing Matrix					
Beige		100 to 200	4 to 8	100 to 175	310 - 040
White		340 to 410	13 to 16	240 to 270	313 - 045
Yellow		440 to 500	17 to 20	290 to 335	315 - 050
Reverse Bend Creasing Matrix					
Orange		400 to 450	16 to 18	280 to 300	270 - 008
Beige		400 to 475	16 to 18	280 to 310	270 - 010
Green		450 to 550	18 to 22	300 to 365	400 - 015
Yellow		500 to 600	20 to 24	350 to 400	500 - 015
Purple		800 to 900	32 to 36	535 to 600	500 - 020
Blue		550 to 650	22 to 26	365 to 435	600 - 015
Pink		900 to 950	36 to 38	600 to 650	600 - 020
Brown		950 to 1050	38 to 42	650 to 700	600 - 030

EJECTOR RUBBERS

	Code	Colour	Height
	 Recoil	600 - 100	Orange
700 - 100		Blue	7.0 mm
751 - 100		Yellow	7.5 mm
800 - 100		Green	8.0 mm
900 - 101		Black	9.0 mm
910 - 100		Grey	9.1 mm
930 - 100		Black	9.3 mm
950 - 100		Grey	9.5 mm
 Tee	600 - 200	Orange	6.0 mm
	700 - 200	Blue	7.0 mm
	750 - 200	Yellow	7.5 mm
	800 - 200	Green	8.0 mm
	900 - 200	Grey	9.0 mm
	910 - 200	Grey	9.1 mm
 Slot	910 - 500	Grey	9.1 mm



HOW TO USE





1. Firstly measure the board thickness 'C' (for corrugated board crush the board before measuring).
2. Multiply the thickness 'C' by 2.
3. Add on the crease rule thickness 'D'.
4. This will give you measurement 'B'.
5. Find the correct width of Matrix closest to measurement 'B'.

MICRO SHIM

THIS SELF ADHESIVE METAL SHIM TAPE IS AVAILABLE IN THREE SIZES AND SUPPLIED IN ROLLS OF 10 METRES.

Profile	Thickness	Width	Order Ref
 7.0 0.025	0.025 mm	7.0 mm	248 - 025
 7.0 0.050	0.050 mm	7.0 mm	248 - 050
 7.0 0.075	0.075 mm	7.0 mm	248 - 075

LIP STRIP


Colour	Profile	Height		Width mm	Order Ref
		microns (μ)	thou (0.001")		
Yellow		500	20	8.0	300 - 050
Blue		750	30	8.0	300 - 070

Fax Order To: Trimplex Limited

Trident Works . Mulberry Way
Belvedere . Kent DA17 6AN

Telephone No: 020 8312 0400

e-mail: trimplex@lineone.net



Fax Your Order **NOW** on **020 8312 1400**

Please photocopy this form first and then complete the details in full.

Company Name:	Contact Name:
Telephone No:	Signature:
Customer Order No:	Date:
Delivery Address:	Invoice Address: (If different to delivery address)

Product Code	Description	Quantity	Unit Price	Total
			P & P	£2.95
			Nett Total	
			All Prices Plus VAT	
			Order Total	

Next Day Delivery Available + £10.00